




Proudly Made In The USA, our vinyl privacy fence products are fabricated using VMA certified PVC. The Vinyl Manufacturers Association is the consumers assurance of quality. The primary purpose of the VMA standards is to instill consumer confidence by providing assurance to the contractor and the home owner that the vinyl extrusions they are purchasing are from an accredited manufacturer and are produced to the quality levels as written in the VMA standards.


Authorized Distributor




Available Heights



Available Widths



Available Colors



Panel Specifications

Material: VMA Certified PVC

Tongue & Groove Pickets: 6in x 7/8in x 0.050in Wall

Pocket Rails: 5-1/2in x 1-3/4in x 0.085in Wall

Please Note: Panels ship *UN-ASSEMBLED* for installation on site. A standard privacy fence can rack about 4in over an 8ft span. Greater racking can be achieved by trimming the ends of the T & G pickets at an appropriate angle.

ICC Swimming Pool Code Approved Heights

58-3/4in, 70-3/4in



Check local codes before purchasing.


Available Heights




Available Widths



Our gates are built using full width pickets to maintain structural integrity. The pocket rails are glued into heavy duty gate sockets. The sockets are glued and rivited into the gate uprights. An additional cross brace is glued and screwed to one side of the gate for additional support. Screws are finished with color matched caps.



Available Hardware Options



Standard Hardware
(2) Self-Closing Horizontally Adjustable Hinges & (1) Standard Post Gate Latch - **This combination will meet ICC Pool Code when the latch is mounted at the correct height.**

Available Colors



ICC Swimming Pool Code Approved Heights

58-3/4in, 70-3/4in
Pool Code Gate Hardware Required. Check local codes before purchasing.



Gate Specifications


Material: VMA Certified PVC
Tongue & Groove Pickets: 6in x 7/8in x 0.050in Wall
Pocket Rails: 5-1/2in x 1-3/4in x 0.085in Wall
Gate Uprights: 4in Sq. x 0.135in Wall
Heavy Duty Gate Sockets, Single Sided Cross Brace

PRIVACY - VINYL FENCE POSTS

Post *Includes* Flat Cap.

Fence Panel, Gates & Hardware Sold Separately

Routed Post Design. This design utilizes holes in the post to accept the rails of the fence panel for a strong, stable connection.



Line Posts join fence panels in a straight line. **End Posts** end a fence line. **Corner Posts** connect fence panels together at a 90 degree angle. **Gate Posts** end a fence line and allows the opening for a gate. Vinyl gate posts also include an internal metal I-beam to provide stability for a swinging gate.

General Post Installation Notes

A 6in diameter hole x 24in deep will require approximately 50lbs of concrete per hole.

The depth of the hole should be a **minimum** of 1/3 of the fence height. For example a 4ft high fence would require a **minimum** hole depth of 16in, 5ft high would require 20in depth and 6ft high would be 24in depth. We also recommend adding a 6in gravel base to the bottom of each hole before adding the concrete. Depths will vary with your location and seasonal temperatures. Be sure to check your local codes and recommendations for depths.

Available Colors



Posts are longer than the fence height for installation into the ground.

Fence Height	Post Length
46-3/4in	72in
58-3/4in	84in
70-3/4in	96in

72in or 96in Center to Center




Post Specifications


Material: VMA Certified PVC

Outside Dimensions: 5in Sq.

Wall Thickness: 0.135in • Gate Posts include an internal metal I-beam for support



Blank Posts can be used in a variety of installations. Commonly installed using wall mounts, they can be used for "stepping" fence panels up/down hills.



Post Cross-Section
5in x 5in x 0.135in Wall Thickness

Available Colors



Available Post Lengths

- 72in
- 84in
- 96in

Post Specifications

Material: VMA Certified PVC
Outside Dimensions: 5in Sq.
Wall Thickness: 0.135in